

Work Icon
Techsolutions

Importer and Distributor for Industrial Products and Services



@Workicon



Workicontech



Work Icon Techsolutions Co., Ltd.

www.workicontech.com

Our Products:

Emergency Showers & Eyewashes

Haws (USA)

- Haws 8300-8309
- Haws 8300-8309SS
- Haws 8335SS
- Haws 7361-7461
- Haws 7500
- Haws 7501

Terysafe

- SSS-150
- SSE-150
- SSB-100



Testing & Measurements Products

- Alcohol Testers
- Coating Thickness Gauges
- Force Gauges with Stand
- Elcometers
- Electricity Testers
- Combustion Analyzers
- Particle Counters
- Sound Levels Meters
- Water Quality Meters
- Etc.



Solar Rooftop Projects & Products

Solar Rooftop Project



Solarcell Products & Services



Battery For Solarcell




Energy Saving Products

Energy Saving for Air Conditioners



Energy Saving Fans



Energy Saving Lights



Power Systems / Substations / SCADA

Power Systems / Substations



SCADA



Laboratory Products

- Ovens
- Waterbaths
- Incubators
- Emergency Carts
- Magnifying Lamps
- Lab Products
- Etc.



memmert
Experts in Thermatics

Brand: Memmert from Germany



Logistics Products

- Plastic Pallets
- Plastic Boxes
- Lift Tables
- Carts
- Pallet Truck with Scale (With Printer)
- Power Pallet Truck
- Manual/Semi/Full Electric Stackers
- Forklifts
- Truck Scales
- Etc.



สินค้า Logistic มือ 2

- รถลากจูง
- Power Pallet Trucks
- Semi Electric Stackers
- Full Electric Stackers
- Electric Reach Trucks
- Forklifts



Safety Products

- Protective Suits (PPE)
- Safety Gloves (MAPA)
- Stainless Gloves (Euroflex)
- Safety Shoes (MMAX)
- Etc.



High Pressure & Floor Cleaning



High Pressure Cleaning

- Waschbar 2020 Aquatherm
- DAS300 LXTA/KXTS
- CE 3000



Floor & Carpet Cleaning

- Florida 2183K
- Comet 2-45/50BT
- Comet 1-75B



Brand: WEIDNER from Germany



Construction Tools

- เครื่องตบดิน เติมน้ำถอยหลัง
- เครื่องตบเรียบ
- รถบดอัดดิน
- Portable Concrete Vibrator
- มอเตอร์เขย่าคอนกรีต
- สายจี้ความถี่สูง



Repair and Calibration (ISO 17025)



บริการ ช่อมและสอบเทียบ
เครื่องมือเครื่องใช้ในอุตสาหกรรม
บริการครบวงจร พร้อมใช้งาน



โทร 02-157-1577 to 9

The Company

Work Icon Techsolutions Co., Ltd.

We are the direct importer & distributor for : Emergency Showers & Eyewashes, Oil Absorbent, Solar Rooftop Project, Battery For Solarcell, Energy Saving Products, Printers For Business, Logistics Products, Laboratory Products, Testing & Measuring Products, High Pressure Cleaning & Floor Cleaning Products, Metal Detectors, Repair & Calibration (ISO17025). Also, we provide the after sales services for create our customer satisfaction.

Our Brands :



kaise



Sakase



Sample of Our Customers :



BRIDGESTONE

Cargill



DAIMLER



INDORAMA



TOSHIBA

true

“ Think of Industrial Products and Services ... Think of Work Icon ”

Contact Us :

WORK ICON TECHSOLUTIONS CO., LTD.

94/66 Moo 1, Tambol Banmai,
Amphur Pakkred, Nonthaburi 11120

Tel : (+66)2-157-1577 to 9

Hotline : (+66)86-569-1546

Website : www.workicontech.com

E-mail : contact@workicontech.com

ติดต่อเรา :

บริษัท เวิร์คไอคอน เทคโซลูชันส์ จำกัด

94/66 หมู่ 1 ตำบลบ้านใหม่ อำเภอปากเกร็ด
จังหวัดนนทบุรี 11120

โทร : 02-157-1577 ถึง 9

Hotline : 086-569-1546

เว็บไซต์ : www.workicontech.com

อีเมล : contact@workicontech.com



: @workicon



: @workiconth




: workicontech




: Work Icon Techsolutions Co., Ltd.

รับทำ Projects อุตสาหกรรม

1. ระบบกำจัดไอสารเคมี (Wet Scrubber System) / กำจัดHCL



2. RFID Automated Truck Scale (ระบบเครื่องชั่งรถบรรทุกแบบอัตโนมัติ RFID)



3. Project : Fire Alarm System สำหรับอาคารขนาดใหญ่



4. รับซ่อมรอยรั่วหลังคา / เปลี่ยนหลังคา สำหรับโรงงาน และอาคารขนาดใหญ่



5. Outdoor Aluminium Wall Panel สำหรับอาคารขนาดใหญ่



6. Aluminium Ceiling (เพดานอลูมิเนียม) สำหรับอาคารขนาดใหญ่




7. Aluminium Sun Louver สำหรับอาคารขนาดใหญ่



8. Dry Scrubber




9. Anti Pollution Control System



10. RFID สำหรับควบคุมการเข้าออกของรถที่เข้าออกโรงงาน และระบบแจ้งช่องโหลดสินค้า (Dock Loading System/Gate RFID System)



11. Renovate ห้อง Lab



12. **รับทำระบบความเย็น (Cooling System) / รับทำห้องเย็น**



13. **รับทำห้อง Cleanroom**




14. **รับทำห้องไลน์การผลิต**



15.



Mobile Yard Ramp

Mobile Yard Ramp **"Ultimate"**



16.

X Lift



17.

Lab Furniture



18. Fume Hood สำหรับห้อง Lab



Purair[®] ADVANCED

General Application Ductless Fume Hoods
• Premium Features and High Performance for Demanding Applications

59 watt¹ Purair model P06 XT shown with optional retractor.

37-118 watt¹
The high EC blower motor creates lower cost of ownership in one of the world's most energy efficient ductless fume hoods.

Air Science[®]
"The World's Most Extensive Selection of Ductless Fume Hoods."

USP 800 COMPLIANT, GSA Schedule, and other certification logos.

19. ระบบควบคุมมลพิษทางอากาศ (Air Pollution Control System)



20. ระบบ HVAC System



21. ขาย/ติดตั้ง Chiller



Unit Overview	
Chiller Model	RTAG - air cooled chiller series R
Refrigeration Capacity	120.0 tons
Cooling Efficiency	11.02 EER (Btu/W-h)
Evaporator Configuration	Standard Cooling (4 To 27C)
Condenser Configuration	Standard Ambient (14-114.8F/-10-46C)
IPLV/IP	14.67 EER (Btu/W-h)
NPLV/IP	14.86 EER (Btu/W-h)
COP	11.03 EER (Btu/W-h)
Unit Voltage	380.V/50.Hz/3 Phase
Refrigerant Type	R134a
Agency Listing	No agency listing
Pressure Vessel Code	ASME code
A-weighted sound pressure	100 dBA
Model Number	RTAG125H



22. Dock Leveller



23. High Speed Door (ประตูอัตโนมัติความเร็วสูง)

	CARLOFLEX APPLICATION indoor / outdoor openings is industrial storage and commercial facilities		SPEEDROLL SDF STAINLESS STEEL HARDWARE APPLICATION universal - food industry
	SPEEDROLL SDO UNIVERSAL APPLICATION APPLICATION universal - outdoor opening in industrial storage and commercial facilities.		SPEEDROLL SDI LONG TERM SERVICE LIFE APPLICATION universal - indoor opening in industrial storage and commercial facilities.
	SPEEDROLL SDC NON - FREEZABLE APPLICATION cold storage.		SPIRAL DOOR HSSD HIGH SPEED OF OPERATION APPLICATION indoor / outdoor openings is industrial storage and commercial facilities

24. Dock Shelter (อุโมงค์โหลดสินค้า)



25. ติดตั้ง Selective Pallet Rack / Drive In Pallet Rack / Long Span Shelf



Work Icon Techsolutions Co., Ltd.

SELECTIVE PALLET RACK



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่มีความหลากหลายจุดเด่นของชั้นเก็บสินค้านี้ คือสามารถเลือกเก็บสินค้า Pallet ได้ก่อนก็ได้ และทำให้สินค้าไม่สกปรกไม่ตกค้าง



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่เหมือนกัน หรือรายการสินค้าที่ไม่มากนัก แต่มีจำนวนต่อรายการมากๆ โดยการจัดเก็บสินค้าที่มีลักษณะเดียวกันอยู่ในช่องเดียวกัน

DRIVE-IN PALLET RACK



LONGSPAN SHELF

เป็นชั้นเก็บสินค้าที่ทำจากดัดแปลงมาจาก Selective Rack สำหรับวางสินค้าที่ไม่ต้องอาศัย พาเลท ในการจัดเก็บ เพียงแค่ปูพื้นไม้ไผ่ หรือแผ่นเหล็กบนคานหลัก แล้วเสริมความแข็งแรงด้วยคานเล็ก สามารถรับน้ำหนักได้ตั้งแต่ 500-3000 กิโลกรัม



26. พัฒนาระบบขนาดใหญ่ (Big Fan / High Volume Low Speed Fan)





Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

Newsletter ธันวาคม 2025



Work Icon จำหน่ายสินค้าอุตสาหกรรมครบวงจร และ งาน Projects อุตสาหกรรม :

รถยกไฟฟ้า (Full Electric Stacker)/รถกระเช้า (Boom Lift)/รถCounter Balance Forklift/รถลากจูงไฟฟ้า, สินค้าLogisticครบวงจร, Elcometer และ เครื่องมือวัดเครื่องมือทดสอบ, Universal Testing Machine (UTM)/ Force Tester, Digital Micro Vickers Hardness Tester, Emergency Shower & Eyewash, สินค้าในห้องLab, รถเข็นฉุกเฉิน (Emergency Carts/Trolleys), ชุดPPE, Easicult TTC, เครื่องชั่งครบวงจร, เครื่องฉีดน้ำแรงดันสูง อุตสาหกรรม/เครื่องดูดฝุ่นอุตสาหกรรม, Electric Generator (Gen Set) เป็นต้น

งาน Projects อุตสาหกรรม:

ระบบกำจัดไอสารเคมี (Wet Scrubber System)/กำจัดHCL, RFID Automated Truck Scale & เครื่องชั่งรถบรรทุก, Fire Alarm System, รับซ่อมรอยรั่วหลังคา/เปลี่ยนหลังคาสำหรับอาคารใหญ่, Outdoor Aluminium Panel (โครงสร้างอลูมิเนียมนอกอาคาร), Aluminium Ceiling (เพดานอลูมิเนียม), Aluminium Sun Louver (แผงบังแดดอลูมิเนียม), Dry Scrubber, Anti Pollution Control System, Dock Loading System/Gate RFID System, Renovate ห้อง Lab, ระบบทำความเย็น (Cooling System), รับทำห้องเย็น/ห้องCleanroom/ห้องไลน์การผลิต, Mobile Yard Ramp, X Lift, Furniture ห้อง Lab, Fume Hood for Lab, ระบบควบคุมมลพิษทางอากาศ, HVAC System, Chiller, Dock Leveler, High Speed Doors, Dock Shelters, Selective Pallet Racks, พัฒนาระบบขนาดใหญ่ เป็นต้น

สินค้าแนะนำเดือนนี้

1. รถยกไฟฟ้า (Full Electric Stacker) มีหลากหลายสเปก บริการส่งทั่วประเทศ

HELI CDD20JF 4000mm FULL ELECTRIC STACKER PALLET TRUCK

- รถยกพาเลทแบบยืนบังคับ
- ขับด้วยไฟฟ้า
- รองรับน้ำหนัก 2000 Kg
- โหลด 600 mm
- ยาว 1150x180x60mm
- กว้าง 650

- เดินทางด้วยล้อ
- เสาสูงก่อนยก
- ยกลูก
- หัวเสาสูงสุด
- วงล้อ
- โหลดเซนเตอร์

- ระบบมอเตอร์ไฟฟ้า
- 2495 mm
- 4000mm (800kg)
- 4452 mm
- 1340 mm
- 600 kg



พาเลทแบบเปิด



Changed to Built-in LITHIUM 48V60AH

Model designation	HELI CDD20J-F
Drive unit	48V/60Ah
Operator type	Q
Rated capacity	2000 kg
Load center distance	600 mm
Axle center to fork face	615 mm
Wheelbase	1128 mm
Weight	
Service weight (include battery)	740 kg
Axle loading, section driving (include loading side)	350/1700 kg
Axle loading, unladen driving (include loading side)	510/210 kg
Types/Chassis	
Type type driving wheels/loading wheels	HU 800mm
Type size, driving wheels (diameter x width)	mm 275/75
Type size, loading wheels (diameter x width)	mm 275/75
Type size, center wheels (diameter x width)	mm 275/75
Wheels, number driving, center/loading (include wheels)	mm 1x2/4
Track width, front/rear side	mm 940
Track width, front/rear side	mm 940
Dimensions	
Height of mast, lowered	mm 1955
Free lift	mm 0
Lift height	mm 3000
Height, driver in driving position min./max.	mm 970/1330
Lowered height	mm 66
Overall length	mm 1610
Length to face of forks	mm 660
Overall width	mm 820
Fork dimensions	mm 60/180/1150
Distance between fork-arms	mm 615
Ground clearance, center of wheelbase	mm 28
Axle width for pallets 1800 x 1200 crossways	mm 2225
Axle width for pallets 900 x 1200 lengthways	mm 2200
Turning radius	mm 1340
Performance data	
Travel speed, laden/unladen	km/h 4.5/5.5
Lifting speed, laden/unladen	m/s 0.005/0.15
Lowering speed, laden/unladen	m/s 0.11/0.10
Max. gradeability, laden/unladen	% 4/10
Service brake type	mm 220/130
Electric engine	
Drive motor rating at 50 min	kw 1.0
Lift motor rating at 50 min	kw 2.2
Battery voltage/nominal capacity	48V/60Ah
Battery weight	kg 415.3
Additional data	
Type of drive control	mm 220/130
Steering type	mm 220/130
Sound pressure level at the driver's ear	dB(A) 65

2. รถกระเช้า (Boom Lift/Scissor Lift) มีหลากหลายสเปก บริการส่งทั่วประเทศ



STANDARD SPECIFICATIONS

Performance

Platform Height	60-ft 3-in / 18.36-m
Horizontal Outreach	40-ft 3-in / 12.38-m
Swing	400 Degrees Non-Continuous
Platform Capacity	500-lb / 227-kg
Platform Rotator	180 Degrees Hydraulic
Job Range of Articulation (Vertical)	145 Degrees (+75, -70)
Weight*	16,710-lb / 7,580-kg
Max. Ground Bearing Pressure	52 psi / 3.7 kg/cm²
Drive Speed	3.0 mph / 4.8 km/h
Gradeability (2WD)	30%
Gradeability (4WD)	45%
Turning Radius Inside (2WS/4WS)	4-ft / 1.22-m
Turning Radius Outside (2WS/4WS)	15-ft 2.5-in / 4.64-m

DINGLI


Brand: New Height

SPECIFICATIONS

Size	Metric	Imperial
Max. Working Height	15.70m	51ft 6in
Max. Platform Height	13.70m	44ft 11in
Overall Length	2.81m	9ft 4in
Overall Width	1.25m	4ft 1in
Overall Height (Rais. Up)	2.50m	8ft 7in
Overall Height (Rais. Down)	2.01m	6ft 10in
Platform Size (Length x Width)	2.54m x 1.12m	8ft 4in x 3ft 8in
Platform Extension Size	0.90m	2ft 11in
Ground Clearance (Stowed/Raised)	0.10m/0.11m	4in/11in
Wheelbase	2.24m	7ft 4in
Turning Radius (Inside/Outside)	0m/2.05m	0in/6ft 8in
Tires	φ305x127mm	φ305x127mm
Performance		
SWL	250kg	551lb
SWL On Extension	117kg	258lb
Max. Occupants (Indoor/Outdoor)	2/0	2/0
Gradeability	25%	25%
Travel Speed (Stowed)	3.5km/h	2.17mph

JCPT1612HA

Scissor Lifts



3. รถ Counterbalance Forklift / รถลากจูงไฟฟ้า



CPD20/25/30/35/38

A6LQ2-S A6LQ2-M A5LQ2-H



2-3.8 t
K2 Series Lithium Battery Counterbalance Forklift



2-7 t

G2系列锂电池牵引车

G2 series lithium battery tractor



4. สินค้าโลจิสติกส์ครบวงจร

Work Icon Techsolutions Co., Ltd. : Highlight Products

Logistics Products 

สินค้าโลจิสติกส์ครบวงจร
Barcode Scanner, Plastic Box, รถลากพร้อมเครื่องชั่ง, รถยกไฟฟ้า
รถโฟล์คลิฟท์, จา Forklift สามารถชั่งได้, เครนไฟฟ้า, พาเลทพลาสติก
X-Lift, Lift, Ramp, Dock Leveler



5. Elcometer รุ่นต่างๆ และ Coating Thickness Guage (เครื่องวัดความหนาสี)



6. Universal Testing Machine (UTM) / Tensile Testing Machine / Force Tester



7. Digital Micro Vickers Hardness Tester



8. DC Porosity Detectors

PCWI
PRECISION INSTRUMENTATION

PCWI Compact
DC POROSITY DETECTORS

Complies with the requirements of
AS3894 1-2002 and Euro Standards EN190-2007;
EN1274-2004 & EN185-2005

Applications

- Used for detection of coating porosity (pin-holes, or holidays) in dielectric (insulation type) coatings on conductive substrates, including concrete.
- Suitable for Production Pipeline Coating operations, Tank-work and Structures. Ideal for use on storage tanks, valves and pipelines.
- Housed in a fully portable ABS case, the Detectors deliver stabilised DC output of up to 30kV. Constant current source maintains applied test voltage. Full test current at low voltages (where it is needed most) when testing at low film builds (eg 150µm—as per AS3894 1-2002)
- Incorporating momentary and continuous-on switches (mounted on the front panel), allowing the units to be switched on momentarily for safety, or run continuously.
- No need to swap power supplies or change probes to change voltage – the Detectors have clip-on battery packs that can be separately charged. Can operate off mains power (via the charger) during recharging. Fully recharged in 10 hours. Regulated DC output fully adjustable. Applied voltage and battery condition are continuously shown on the Liquid Crystal Display.

Controls

- 1 LCD display (including battery condition indicator)
- 2 Voltage control (10 turn)
- 3 Visual alarm indicates when fault is found
- 4 On switch
- 5 Off/Reset switch
- 6 Sensitivity control for the alarm
- 7 Audible alarm when fault is found
- 8 High Voltage probe connector
- 9 Fuse (1.6A slow blow) 5 x 20mm
- 10 Earth connection point
- 11 Charge connector – allows operation while charging is in progress
- 12 Clip-on battery pack
- 13 Earphone (connected on opposite side)

Features

- Lightweight with ABS case
- Momentary on switch allows auto shut-off
- Digital display of applied voltage with integral battery condition indicator
- Regulated DC voltage
- Voltage range of 0-15kV or 0-30kV, fully adjustable
- Clip-on battery pack
- Constant test current
- Sensitivity control
- Overcharge protection
- Single power supply
- Earphones for noisy environments
- Optional on/off switch in handle

Complete with

Industrial Kit:
Detector with clip-on power pack, 10hr Charger, Probe handle with neon and 2m lead, 60mm Connector for fat brushes, 7m Earth lead with clamp, Fan Brush, 450mm Probe extension, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

Pipeline Kit:
Detector with clip-on power pack, 10hr Charger, Probe handle with neon and 2m lead, 60mm Connector for fat brushes, 7m Earth lead with clamp, Fan brush, Coil pinner with 450mm connector, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration certificate.

Specifications

	DC15	DC30
Unit Weight	2.2kg	2.2kg
Packed Weight	2.2kg	2.2kg
Display	LCD 3 1/2 digits	LCD 3 1/2 digits
Voltage	0 to 15kV	0 to 30kV
Resolution	10V	10V
Short circuit	Test current 0.5mA max	Test current 0.5mA max
Power supply	Cell 3AH Side-off	Cell 3AH Side-off
Dimensions	260 x 150 x 70mm	260 x 150 x 70mm
Alarm	Audible and visual	Audible and visual
Probe handle	2m high-voltage silicon-rubber lead	2m high-voltage silicon-rubber lead
Battery condition	LCD Display	LCD Display

CONTROL LAYOUT

MADE IN AUSTRALIA

SIDE VIEW

9. เครื่องมือวัด เครื่องมือทดสอบ (Testing & Measuring Products)

Work Icon Techsolutions Co., Ltd. : Highlight Products

Testing & Measuring Products

เครื่องมือวัด เครื่องมือทดสอบ

- เครื่องวัดแอลกอฮอล์, เครื่องวัดความหนาฟิล์ม, เครื่องวัดไฟฟ้า
- เครื่องวัดแรงดึงแรงกด, เครื่องวัดแก๊ส, เครื่องวัดปริมาณฝุ่น

10. ฝักบัวฉุกเฉินและอ่างล้างตาฉุกเฉิน (Emergency Showers & Eyewashes)
Brand: Haws (USA), Terysafe



11. สินค้าในห้อง Lab เช่น Oven, Waterbath, Stirrer, เป็นต้น



12. รถเข็นฉุกเฉิน (Emergency Carts/Trolleys)

LS-850EB
Emergency Trolley



MI ZAKI
Best Product of 2009-2011

EMERGENCY TROLLEY

MODEL: MIZAKI 103

● SPECIFICATION:

- Size : 465 x 650 x 900 mm.
- ABS body with aluminium alloy
- One light drawer + two middle drawers + two big deep drawers
- Two dust bin
- Two plastic box with out lid
- Two Needle disposal box
- Adjustable I.V. Pole 4 Hooks
- C.P.R. Board size: 410 x 530 x 20 mm
- Oxygen Tank holder
- Sliding side shelf size : 500 x 330 mm
- Monitor shelf size : 250 x 300 mm
- Two keys for centralized locking



13. ชุดPPE (เน้นขายจำนวนมาก)



Protect
Your
People®

MicroMax NS Coverall – EMN428

Protective coverall with elasticated hood, cuffs and ankles. Improved Super-B style coverall with reinforced crotch, inset sleeves and respirator fit hood. Superior fit, wearability and durability

55gsm microporous film laminated fabric. Stitched seam.

25 per case



EN ISO 13982-1:2004+A1:2010 Type 5B

EN ISO 13034:2005+A1:2009 Type 6B

EN 14126:2003 Protection against infective agents

EN 1073-2:2002 Protective clothing against radioactive contamination

EN 1149-5:2008 Electrostatic properties (anti-static)



14. Easicult TTC (เน้นขายจำนวนมาก)



15. เครื่องชั่ง ครบวงจร

**Valor[®] 1000**
Compact Precision Scales



Economical, multipurpose weighing in a compact scale

OHAUS Valor 1000 precision scales are an economical choice for your basic weighing needs. Standard software includes checkweighing mode, accumulation mode and multiple units of measure. Valor 1000 scales feature a removable stainless steel weighing platform, and a roll profile ABS plastic housing with leveling adjustment. Each scale also comes standard with a long lasting internal rechargeable battery for ultimate portability and convenience.

Standard Features include:

- **Ergonomic design** – Compact footprint, large removable stainless pan with a handle, easy to read backlit LCD & audible beeps
- **Solid performance** – Fast response time, loading capability standard, and precision resolutions up to 7,500d
- **Friendly operation** – Easy to clean and transport, included long life internal rechargeable battery with standard AC power adapter and user selectable auto shut off backlight

**Pioneer[®] Series**
Analytical and Precision Balances



The Best Balance For Basic Weighing!

The OHAUS Pioneer Series of analytical and precision balances are designed for basic analytical weighing in a variety of laboratory, industrial and education applications. With the right combination of performance and features, the OHAUS Pioneer offers uncompromised performance for all your basic weighing needs.

Standard Features include:

- **Easy to Clean Analytical Draftshield** – Pioneer's draftshield is designed with all glass panels, including three sliding doors. All panels are easy to remove and replace, and together with a stainless steel bottom, make it fast and easy to clean
- **Upfront Level Indicator** – Pioneer has been designed with an up-front level indicator, so that users can quickly ensure the balance is level prior to use
- **Selectable Environmental Settings** – Three filter modes and adjustable zero tracking adjust balance sensitivity to environmental disturbances, or application requirements

Work Icon
Techsolutions

Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

Sample of Our Prestige Customers

 บริษัท การบินไทย จำกัด (มหาชน) Reports of Thailand Public Company Limited		
 CHRISTIANI & NIELSEN		
 		
		
		
		
		
		
		

Sample List of Our Customers

AGC Chemicals (Thailand) Co., Ltd.	NHK Spring (Thailand) Co., Ltd.
Airports of Thailand PLC. (Suvarnabhumi Airport)	Nippon Paint (Thailand) Co., Ltd.
AMATA Natural Gas Distribution Co., Ltd.	Oji Paper (Thailand) Co., Ltd.
Asia Cement PLC.	Pepsi-Cola (Thai) Trading Co., Ltd.
Bangkok Solar Power Co., Ltd.	Phyathai Hospital PLC.
Beko Thai Co., Ltd.	POSCO-Thainox PLC.
Behn Meyer Chemicals (T) Co., Ltd.	President Rice Products PLC. (MAMA)
Bridgestone Tire Manufacturing (Thailand) Co., Ltd.	PTT PLC.
Calbee Tanawat Co., Ltd. (Calbee Snacks)	PTT Natural Gas Distribution Co., Ltd.
Cargill Siam Co., Ltd.	Ratchburi Power Co., Ltd.
Cal-Comp Electronics PLC.	Rayong Glass Industry Co., Ltd.
Christiani & Neilsen (Thai) PLC.	S&P Syndicate PLC. (S&P)
Churarat Hospital PLC.	SCG Chemicals Co., Ltd.
CJ Korea Express (Thailand) Co., Ltd.	Schenker (Thai) Co., Ltd.
CP All PLC. (7-Eleven Thailand)	Sharp Manufacturing (Thailand) Co., Ltd.
CPF (Thailand) PLC.	Sino-Thai Engineering and Construction PLC.
Daimler Commercial Vehicles (Thailand) Ltd.	Solartron PLC.
Dhanasindhi Co., Ltd. (Thai Bev)	Songkhla Canning PLC.
DHL Supply Chain (Thailand) Co., Ltd.	Sriracha Construction PLC. (SRICHA)
Endress+Hauser (Thailand) Ltd.	Sri Trang Agro Industry PLC.
GFPT Nichirei Co., Ltd.	Taokaenoi Food & Marketing PLC.
GISTDA	TDK (Thailand) Co., Ltd.
Haad Thip PLC. (Coca-Cola)	Thai Carbon Black PLC.
Hitachi Chemical Automotive Co., Ltd.	Thai Foods Group PLC.
Hitachi Plant Technology Co., Ltd.	Thai Malaya Glass Co., Ltd. (Berli Jucker PLC.)
Honda Automobile (Thailand) Co., Ltd.	Thai Rath Newspaper
Italian Thai Development PLC.	Thai Union PLC.
Indorama Ventures PLC.	The Mall Group
Jotun Thai Co., Ltd.	The Petroleum College, Chulalongkorn University
Khon Kaen Hospital	TNT Express Worldwide (Thailand) Co., Ltd.
Krabi Nakharin International Hospital	Toray Hybrid Cord (Thailand) Co., Ltd.
Kohler (Thailand) PLC.	Toshiba Hokuto Electronic Devices (Thailand) Co., Ltd.
Kubota Kasui (Thailand) Co., Ltd.	TOSHIBA (Thailand) Co., Ltd.
LF Logistics (Thailand) Ltd.	True Distribution and Sales Co., Ltd.
Metropolitan Electricity Authority (MEA)	True Lifestyle Retail Co, Ltd. (True Coffee)
Minor Food Group PLC.	Vibhavadi Hospital PLC.
NHK Precision Co., Ltd.	YANMAR (S.P.) Co., Ltd.

Work Icon
Techsolutions

Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

เปิดรับสมัครตัวแทนจำหน่ายทั่วประเทศ

Work Icon
Techsolutions

Work Icon Techsolutions Co., Ltd.

Importer & Distributor in Thailand for Brands :



เปิดรับสมัคร
ตัวแทนจำหน่าย
ทั่วประเทศ

Work Icon Tel : 02-157-1577 to 9 | Hotline : 086-569-1546



Emergency Showers & Eye Washes



Testing & Measuring




Laboratory Products & Emergency Carts



Safety Products



สินค้า Logistic & เครื่องซิงเฟลา



Mobile Racks & Automatic Warehouse



Project : ติดตั้ง Chiller



Project : ย้ายพัดลม, แอร์, เครื่องจักรขนาดใหญ่



High Pressure & Floor Carpet Cleanings



Construction Tools



ผู้Gen & หม้อแปลงไฟฟ้า



Repair & Calibration

Samples of our customers :



Work Icon Techsolutions Co., Ltd.

Email : contact@workicontech.com

Website : www.workicontech.com

: @workiconth



Line : @workicon



IG : workicontech



Work Icon Techsolutions Co., Ltd.



สนใจเป็นตัวแทนจำหน่าย ติดต่อ :

Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 ถึง 9 | Hotline : 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com