

**Work Icon**  
Techsolutions

# Importer and Distributor for Industrial Products and Services



@Workicon



Workicontech



Work Icon Techsolutions Co., Ltd.

[www.workicontech.com](http://www.workicontech.com)

# Our Products:

## Emergency Showers & Eyewashes



### Haws (USA)

- Haws 8300-8309
- Haws 8300-8309SS
- Haws 8335SS
- Haws 7361-7461
- Haws 7500
- Haws 7501

### Terysafe

- SSS-150
- SSE-150
- SSB-100



## Testing & Measurements Products

- Alcohol Testers
- Coating Thickness Gauges
- Force Gauges with Stand
- Elcometers
- Electricity Testers
- Combustion Analyzers
- Particle Counters
- Sound Levels Meters
- Water Quality Meters
- Etc.



## Solar Rooftop Projects & Products

### Solar Rooftop Project



### Solarcell Products & Services



### Battery For Solarcell



## Energy Saving Products


### Energy Saving for Air Conditioners



### Energy Saving Lights



### Energy Saving Fans




## Power Systems / Substations / SCADA

### Power Systems / Substations



### SCADA



## Laboratory Products

- Ovens
- Waterbaths
- Incubators
- Emergency Carts
- Magnifying Lamps
- Lab Products
- Etc.



Brand: Memmert from Germany



## Logistics Products

- Plastic Pallets
- Plastic Boxes
- Lift Tables
- Carts
- Pallet Truck with Scale (With Printer)
- Power Pallet Truck
- Manual/Semi/Full Electric Stackers
- Forklifts
- Truck Scales
- Etc.



## สินค้า Logistic มือ 2

- รถลากจูง
- Power Pallet Trucks
- Semi Electric Stackers
- Full Electric Stackers
- Electric Reach Trucks
- Forklifts



## Safety Products

- Protective Suits (PPE)
- Safety Gloves (MAPA)
- Stainless Gloves (Euroflex)
- Safety Shoes (MMAX)
- Etc.



## High Pressure & Floor Cleaning



### High Pressure Cleaning

- Waschbar 2020 Aquatherm
- DAS300 LXTA/KXTS
- CE 3000



### Floor & Carpet Cleaning

- Florida 2183K
- Comet 2-45/50BT
- Comet 1-75B



Brand: WEIDNER from Germany



## Construction Tools

- เครื่องตบดิน เดินหน้าถอยหลัง
- เครื่องตบเรียบ
- รถบดอัดดิน
- Portable Concrete Vibrator
- มอเตอร์เขย่าคอนกรีต
- สายจี้ความถี่สูง



## Repair and Calibration (ISO 17025)

Work Icon  
Technologies

บริการ ซ่อมและสอบเทียบ  
เครื่องมือเครื่องใช้ในอุตสาหกรรม  
บริการครบวงจร พร้อมใช้งาน



โทร 02-157-1577 to 9

## The Company

### Work Icon Techsolutions Co., Ltd.

We are the direct importer & distributor for : Emergency Showers & Eyewashes, Oil Absorbent, Solar Rooftop Project, Battery For Solarcell, Energy Saving Products, Printers For Business, Logistics Products, Laboratory Products, Testing & Measuring Products, High Pressure Cleaning & Floor Cleaning Products, Metal Detectors, Repair & Calibration (ISO17025). Also, we provide the after sales services for create our customer satisfaction.

### Our Brands :



kaise



Sakase



### Sample of Our Customers :



BRIDGESTONE

Cargill



DAIMLER



INDORAMA



TOSHIBA

true

“ Think of Industrial Products and Services ... Think of Work Icon ”

#### Contact Us :

#### WORK ICON TECHSOLUTIONS CO., LTD.

94/66 Moo 1, Tambol Banmai,  
Amphur Pakkred, Nonthaburi 11120

Tel : (+66)2-157-1577 to 9  
Hotline : (+66)86-569-1546

Website : [www.workicontech.com](http://www.workicontech.com)  
E-mail : [contact@workicontech.com](mailto:contact@workicontech.com)

#### ติดต่อเรา :

#### บริษัท เวิร์คไอคอน เทคโนโลยี จำกัด

94/66 หมู่ 1 ตำบลบ้านใหม่ อำเภอปากเกร็ด  
จังหวัดนนทบุรี 11120

โทร : 02-157-1577 ถึง 9  
Hotline : 086-569-1546

เว็บไซต์ : [www.workicontech.com](http://www.workicontech.com)  
อีเมล : [contact@workicontech.com](mailto:contact@workicontech.com)



: @workicon



: @workiconth




: workicontech




: Work Icon Techsolutions Co., Ltd.

## รับทำ Projects อุตสาหกรรม

### 1. ระบบกำจัดไอสารเคมี (Wet Scrubber System) / กำจัดHCL




### 2. RFID Automated Truck Scale (ระบบเครื่องชั่งรถบรรทุกแบบอัตโนมัติ RFID)



### 3. Project : Fire Alarm System สำหรับอาคารขนาดใหญ่



### 4. รับซ่อมรอยรั่วหลังคา / เปลี่ยนหลังคา สำหรับโรงงาน และอาคารขนาดใหญ่



### 5. Outdoor Aluminium Wall Panel สำหรับอาคารขนาดใหญ่



**6. Aluminium Ceiling (เพดานอลูมิเนียม) สำหรับอาคารขนาดใหญ่**




**7. Aluminium Sun Louver สำหรับอาคารขนาดใหญ่**



**8. Dry Scrubber**




## 9. Anti Pollution Control System



## 10. RFID สำหรับควบคุมการเข้าออกของรถที่เข้าออกโรงงาน และระบบแจ้งช่องโหลดสินค้า (Dock Loading System/Gate RFID System)



## 11. Renovate ห้อง Lab



**12. รับทำระบบความเย็น (Cooling System) / รับทำห้องเย็น**



**13. รับทำห้อง Cleanroom**




**14. รับทำห้องไลน์การผลิต**




**15. Mobile Yard Ramp**

**Mobile Yard Ramp**  
**"Ultimate"**



**16. Lab Furniture**



**17. ระบบควบคุมมลพิษทางอากาศ (Air Pollution Control System)**



## 18. ระบบ HVAC System



## 19. Dock Leveller



## 20. High Speed Door (ประตูอัตโนมัติความเร็วสูง)

	<b>CARLOFLEX</b> APPLICATION indoor / outdoor openings is industrial storage and commercial facilities		<b>SPEEDROLL SDF</b> STAINLESS STEEL HARDWARE APPLICATION universal - food industry .
	<b>SPEEDROLL SDO</b> UNIVERSAL APPLICATION APPLICATION universal - outdoor opening in industrial storage and commercial facilities .		<b>SPEEDROLL SDI</b> LONG TERM SERVICE LIFE APPLICATION universal - indoor opening in industrial storage and commercial facilities .
	<b>SPEEDROLL SDC</b> NON - FREEZABLE APPLICATION cold storage .		<b>SPIRAL DOOR HSSD</b> HIGH SPEED OF OPERATION APPLICATION indoor / outdoor openings is industrial storage and commercial facilities

## 21. Dock Shelter (อิมมอคโฮลตลีนค้ำ)



Dock shelter with aluminium retractable structure

Inflatable dock shelters

## 22. ติดตั้ง Selective Pallet Rack / Drive In Pallet Rack / Long Span Shelf



Work Icon Techsolutions Co., Ltd.

### SELECTIVE PALLET RACK



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่มีความหลากหลายจุดเด่นของชั้นเก็บสินค้านี้ คือสามารถเลือกเก็บสินค้า Pallet ได้ก่อนก็ได้ และทำให้สินค้าในสต็อกไม่ตกค้าง



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่เหมือนกัน หรือรายการสินค้าที่ไม่มากนัก แต่มีจำนวนต่อรายการมาก ๆ โดยการจัดเก็บสินค้าที่มีลักษณะเดียวกันอยู่ในช่องเดียวกัน

### DRIVE-IN PALLET RACK



### LONGSPAN SHELF

เป็นชั้นเก็บสินค้าที่ทำการดัดแปลงมาจาก Selective Rack สำหรับ วางสินค้าที่ไม่ต้องอาศัย พาเลท ในการจัดเก็บ เพียงแต่ปูพื้นไม้ไผ่ หรือแผ่นเหล็กบนคานหลัก แล้วเสริมความแข็งแรงด้วยคานเล็ก สามารถรับน้ำหนัก ได้ตั้งแต่ 500-3000 กิโลกรัม



## 23. พัดลมแขวนขนาดใหญ่ (Big Fan / High Volume Low Speed Fan)





## Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)

Website: [www.workicontech.com](http://www.workicontech.com)



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

## Newsletter กุมภาพันธ์ 2026



### Work Icon จำหน่ายสินค้าอุตสาหกรรมครบวงจร และ งาน Projects อุตสาหกรรม :

เครื่องวัดคุณภาพอากาศ (PM2.5), Elcometer, Coating Thickness Gauge, รถยกไฟฟ้า (Full Electric Stacker), X-Lift, Universal Testing Machine (UTM), Electric Reach Truck/รถลากPalletไฟฟ้า/รถกระเช้า (Boom Lift)/รถCounter Balance Forklift/รถลากจูงไฟฟ้า, สินค้าLogisticครบวงจร, Chiller, Electric Generator (Gen Set), Emergency Shower & Eyewash, รถเข็นฉุกเฉิน (Emergency Carts/Trolleys), เครื่องมือวัดและเครื่องมือทดสอบครบวงจร, Ultrasonic Thickness Gauge, DC Porosity Detector, Digital Micro Vickers Hardness Tester, สินค้าในห้องLab, ชุดPPE, เครื่องชั่งครบวงจร, เครื่องฉีดน้ำแรงดันสูงอุตสาหกรรม/เครื่องดูดฝุ่นอุตสาหกรรม เป็นต้น

### งาน Projects อุตสาหกรรม:

ระบบกำจัดไอสารเคมี (Wet Scrubber System)/กำจัดHCL, RFID Automated Truck Scale & เครื่องชั่งรถบรรทุก, Fire Alarm System, รับซ่อมรอยรั่วหลังคา/เปลี่ยนหลังคาสำหรับอาคารใหญ่, Outdoor Aluminium Panel (โครงสร้างอลูมิเนียมนอกอาคาร), Aluminium Ceiling (เพดานอลูมิเนียม), Aluminium Sun Louver (แผงบังแดดอลูมิเนียม), Dry Scrubber, Anti Pollution Control System, Dock Loading System/ Gate RFID System, Renovate ห้อง Lab, ระบบทำความเย็น (Cooling System), รับทำห้องเย็น/ห้องCleanroom/ห้องไลน์การผลิต, Mobile Yard Ramp, Furniture ห้อง Lab, แก้วห้องLab, Fume Hood for Lab, ระบบควบคุมมลพิษทางอากาศ, HVAC System, Dock Leveler, High Speed Doors, Dock Shelter, Selective Pallet Rack, พัดลมแขวนขนาดใหญ่ เป็นต้น

## สุขสันต์วัน Valentine's Day ถึงลูกค้า Work Icon



## สินค้าแนะนำเดือนนี้

### 1. เครื่องวัดคุณภาพอากาศ (PM2.5 / PM10 / CO2 / HCHO / Temperature / Humidity)

# Temtop

M2000 2nd Generation  
Multi-functional Air Quality Detector



## 2. Elcometer รุ่นต่างๆ และ Coating Thickness Guage (เครื่องวัดความหนาสี)



PORTABLE COATING THICKNESS GAUGING

### Coating Thickness Gauge IPX-201FN

Handheld coating thickness gauge with a built-in probe for coating on ferrous substrates

**Features**

- Data Hold/Export/USB/Printer
- Magnetics calibration facility for non-destructive gauging
- Non-destructive coating thickness measurement and monitoring coating on non-ferrous and on die substrates
- Easy calibration

**Standard Delivery**

- 4mm x 4mm
- Non-ferrous
- Ferrous
- Co. based on Full scale
- 1000µm based on Full scale
- 1000µm based on Full scale
- 1000µm based on Full scale
- 1000µm based on Full scale

**Optional Accessories**

- 1000µm based on Full scale
- 1000µm based on Full scale
- 1000µm based on Full scale
- 1000µm based on Full scale
- 1000µm based on Full scale

**TECHNICAL SPECIFICATION**

Model	IPX-201FN
Material	Aluminum
Weight	1.2kg
Dimensions	100mm x 60mm x 30mm
Accuracy	±0.5% of reading
Resolution	0.1µm
Operating range	0 to 1000µm
Operating temperature	0 to 50°C
Storage temperature	-20 to 60°C
Relative humidity	10 to 90%
Power supply	4 x AA batteries
Power consumption	1.5W
Power on time	10 hours
Power off time	100 hours
Power up time	10 seconds
Power down time	10 seconds
Power reset time	10 seconds
Power lock time	10 seconds
Power unlock time	10 seconds
Power hold time	10 seconds
Power release time	10 seconds
Power stop time	10 seconds
Power start time	10 seconds
Power end time	10 seconds
Power begin time	10 seconds
Power finish time	10 seconds
Power complete time	10 seconds
Power error time	10 seconds
Power warning time	10 seconds
Power alarm time	10 seconds
Power notification time	10 seconds
Power message time	10 seconds
Power status time	10 seconds
Power location time	10 seconds
Power direction time	10 seconds
Power speed time	10 seconds
Power acceleration time	10 seconds
Power deceleration time	10 seconds
Power position time	10 seconds
Power velocity time	10 seconds
Power displacement time	10 seconds
Power distance time	10 seconds
Power time of day time	10 seconds
Power date time	10 seconds
Power time zone time	10 seconds
Power language time	10 seconds
Power units time	10 seconds
Power mode time	10 seconds
Power screen time	10 seconds
Power keyboard time	10 seconds
Power mouse time	10 seconds
Power touchpad time	10 seconds
Power trackball time	10 seconds
Power joystick time	10 seconds
Power game controller time	10 seconds
Power steering wheel time	10 seconds
Power pedals time	10 seconds
Power seat time	10 seconds
Power steering column time	10 seconds
Power gear shift time	10 seconds
Power brake time	10 seconds
Power clutch time	10 seconds
Power accelerator time	10 seconds
Power horn time	10 seconds
Power lights time	10 seconds
Power mirrors time	10 seconds
Power windows time	10 seconds
Power doors time	10 seconds
Power trunk time	10 seconds
Power hood time	10 seconds
Power bumper time	10 seconds
Power fenders time	10 seconds
Power wheels time	10 seconds
Power tires time	10 seconds
Power suspension time	10 seconds
Power steering time	10 seconds
Power drivetrain time	10 seconds
Power engine time	10 seconds
Power transmission time	10 seconds
Power axles time	10 seconds
Power hubs time	10 seconds
Power brakes time	10 seconds
Power steering rack time	10 seconds
Power tie rods time	10 seconds
Power control arms time	10 seconds
Power struts time	10 seconds
Power shock absorbers time	10 seconds
Power springs time	10 seconds
Power sway bars time	10 seconds
Power stabilizers time	10 seconds
Power exhaust time	10 seconds
Power intake time	10 seconds
Power fuel system time	10 seconds
Power cooling system time	10 seconds
Power lubrication system time	10 seconds
Power electrical system time	10 seconds
Power lighting system time	10 seconds
Power audio system time	10 seconds
Power video system time	10 seconds
Power navigation system time	10 seconds
Power communication system time	10 seconds
Power entertainment system time	10 seconds
Power security system time	10 seconds
Power safety system time	10 seconds
Power maintenance system time	10 seconds
Power diagnostic system time	10 seconds
Power repair system time	10 seconds
Power replacement system time	10 seconds
Power disposal system time	10 seconds
Power recycling system time	10 seconds
Power waste management system time	10 seconds
Power environmental system time	10 seconds
Power climate control system time	10 seconds
Power air conditioning system time	10 seconds
Power heating system time	10 seconds
Power ventilation system time	10 seconds
Power filtration system time	10 seconds
Power humidification system time	10 seconds
Power dehumidification system time	10 seconds
Power air purification system time	10 seconds
Power air ionization system time	10 seconds
Power air sterilization system time	10 seconds
Power air disinfection system time	10 seconds
Power air sanitization system time	10 seconds
Power air deodorization system time	10 seconds
Power air freshening system time	10 seconds
Power air scenting system time	10 seconds
Power air fragrance system time	10 seconds
Power air perfume system time	10 seconds
Power air cologne system time	10 seconds
Power air aftershave system time	10 seconds
Power air deodorant system time	10 seconds
Power air antiperspirant system time	10 seconds
Power air body powder system time	10 seconds
Power air body lotion system time	10 seconds
Power air body cream system time	10 seconds
Power air body oil system time	10 seconds
Power air body spray system time	10 seconds
Power air body mist system time	10 seconds
Power air body foam system time	10 seconds
Power air body gel system time	10 seconds
Power air body wax system time	10 seconds
Power air body butter system time	10 seconds
Power air body cream system time	10 seconds
Power air body lotion system time	10 seconds
Power air body oil system time	10 seconds
Power air body spray system time	10 seconds
Power air body mist system time	10 seconds
Power air body foam system time	10 seconds
Power air body gel system time	10 seconds
Power air body wax system time	10 seconds
Power air body butter system time	10 seconds

## 3. รถยกไฟฟ้า (Full Electric Stacker Pallet Truck)

### HELI CDD20JF 4000mm FULL ELECTRIC STACKER PALLET TRUCK

- รถยกพาเลทแบบยื่นบังคับ
- ขับเคลื่อนด้วยไฟฟ้า
- รองรับน้ำหนัก 2000 Kg
- โหลด 600 mm
- ยาว 1150x180x60mm
- กว้าง 650

- เดินหน้าถอยหลัง
- เสาคู่ก่อนยก
- ยกสูง
- หัวเสายกสูงสุด
- วงล้อ
- โหลดขนต่อ
- ระบบมอเตอร์ไฟฟ้า
- 2495 mm
- 4000mm ( 800kg)
- 4452 mm
- 1340 mm
- 600 kg



พาเลทแบบเปิด



Changed to Built-in LITHIUM 48V60AH

Distinguishing mark		HELI	
Manufacturer		HELI	
Model designation		CDD20JF	
Drive unit		ไฟฟ้า	
Operator type		บังคับ	
rated capacity	Q	kg	2000
Load center distance	C	mm	600
Axle centre to fork face	X	mm	975
Wheelbase	Y	mm	1158
Weight			
Service weight (include battery)		kg	740
Axle loading, laden driving side/loading side		kg	950/1790
Axle loading, unladen driving side/loading side		kg	530/210
Type/Chassis			
Type type driving wheels/loading wheels		PU 聚氨酯	
Type size, driving wheels (diameter X width)		mm	Φ210x75
Type size, loading wheels (diameter X width)		mm	Φ80x70
Type size, caster wheels (diameter X width)		mm	Φ100x40
Wheels, run-in driving, castor loading (in drive wheels)		mm	11,214
Track width, front/driving side	B30	mm	302
Track width, rear/loading side	B31	mm	513
Dimensions			
Height of mast, lowered	h1	mm	1895
Free lift	h2	mm	0
Lift height	h3	mm	3000
Height drawbar in driving position min./max	H34	mm	990/1130
Lowered height	H33	mm	86
Overall length	L1	mm	1810
Length to face of forks	L2	mm	900
Overall width	B1/B2	mm	820
Fork dimensions L x W x H		mm	60/180/1150
Distance between fork-arms	b5	mm	695
Ground clearance, center of wheelbase	m2	mm	26
Axle width for pallets 1000 X 1200 crossways	Ax1	mm	2225
Axle width for pallets 800 X 1200 lengthways	Ax2	mm	2200
Axle width for pallets 1000 X 1200 lengthways	Wa	mm	1340
Performance data			
Travel speed, laden/unladen		km/h	4.5/5.5
Lifting speed, laden/unladen		m/s	0.085/0.15
Lowering speed, laden/unladen		m/s	0.11/0.19
Max. gradeability, laden/unladen		%	4/10
Service brake type		电磁制动	
Electric engine			
Drive motor rating S2 60 min		kW	1.0
Lift motor rating at S3 15%		kW	2.2
Battery voltage/nominal capacity AH		V	48 X 12/65
Battery weight		kg	415.3
Addition data			
Type of drive control	GB/A1	B3%	
Steering type		机械	
Sound pressure level at the driver's ear		67.0	

## 4. X-Lift



## 5. Universal Testing Machine (UTM)

**Zwick / Roell**


**Zwick**  
Materials Testing

### Product Information

ProLine table-top testing machines Z005 up to Z100



ProLine Z050TN



Principle drawing of the ProLine Z005/Z020 TN

## 6. Reach Truck (Lithium Battery)



**1.5-1.8 t**

G2系列站式锂电池  
前移式叉车(80V)



G2 SERIES LITHIUM BATTERY  
POWERED REACH TRUCK  
(STAND-ON TYPE)(80V)

HELI

## 7. Electric Pallet Truck

Electric Pallet Truck Walkie Pallet Trucks

◀ CBD15/18/20J-Li-S



## 8. ขาย/ติดตั้ง Chiller



Unit Overview	
Chiller Model	RTAG - air cooled chiller series R
Refrigeration Capacity	120.0 tons
Cooling Efficiency	11.02 EER (Btu/W-h)
Evaporator Configuration	Standard Cooling (4 To 27C)
Condenser Configuration	Standard Ambient (14-114.8F/-10-46C)
IPLV/IP	14.67 EER (Btu/W-h)
NPLV/IP	14.86 EER (Btu/W-h)
COP	11.03 EER (Btu/W-h)
Unit Voltage	380.V/50.Hz/3 Phase
Refrigerant Type	R134a
Agency Listing	No agency listing
Pressure Vessel Code	ASME code
A-weighted sound pressure	100 dBA
Model Number	RTAG125H



## 9. Gen Set

### GEN-SET (TM-C825) 750KVA (600KW)

- GENSET TYPE : OPEN TYPE
- PRIME POWER : 750 KVA = 600 KW
- STANDBY POWER : 825 KVA = 660 KW
- ENGINE TYPE : CUMMINS
- ENGINE MODEL : KTA38-G1
- ALTERNATOR : STAMFORD
- ALTERNATOR MODEL : S5L1D-H4
- CONTROL PANEL : DEESEA 7320
- CIRCUIT BREAKER : DELIXI 1600A, 3POLES, ACB
- ATS(SEPARTE CABINET) : SUYANG BRAND, 1600A
- SILENCER / MUFFLER : INDUSTRIAL - TYPE
- BATTERY : APOLO
- FUEL TANK CAPACITY : WITHOUT
- POWER AT : 400/230V, 50Hz, 3phase, 1500rpm, P.F. 0.8



## 10. รถกระเช้า (Boom Lift/Scissor Lift) มีหลากหลายสเปก บริการส่งทั่วประเทศ



### STANDARD SPECIFICATIONS


Performance	
Platform Height	60-73 m/ 193-239 m
Horizontal Outreach	43-71 m / 139-231 m
Swing	400 Degree Non-Centerline
Platform Capacity	500-lb / 227-kg
Platform Rotator	360 Degree Hydraulic
Jib Range of Articulation (Vertical)	165 Degree (-75-78)
Weight*	16,700-lb / 7,580-kg
Max. Ground Bearing Pressure	52 psf / 2.3 kg/cm <sup>2</sup>
Drive Speed	3.8 mph / 6.1 km/h
Gradeability (2WD)	30%
Gradeability (4WD)	40%
Turning Radius (Inside / Outside)	4-ft / 12.2 m / 19-ft 2.5-ft / 5.84-6 m

### JS08 Series Self Propelled Scissor Type

Aerial Work Platform complies with GB25849 and EN280 standards



Dimension	Model	JS0808	JS0808LI	JS0808E	JS0808ELI
A1 Max.working height	m	10	10	10	10
A2 Max.platform height	m	8	8	8	8
B Overall length	m	2.4	2.4	2.4	2.4
C Overall width	m	0.61	0.61	0.51	0.51
D Overall height(guardrail unfolded)	m	2.3	2.3	2.3	2.3
Height stowed-rails folded	m	1.90	1.90	1.90	1.90
Platfor Size(length X width)(E x F)	m	2.25 x 0.61	2.25 x 0.61	2.25 x 0.61	2.25 x 0.61
G Guardrail height	m	1.1	1.1	1.1	1.1
H Extension size of platform	m	0.9	0.9	0.9	0.9
I Ground clearance(retracted state)	mm	95	95	95	95
J Ground clearance(lifting state)	mm	20	20	20	20
K Wheelbase	m	1.85	1.85	1.85	1.85



## 11. รถ Counterbalance Forklift / รถลากจูงไฟฟ้า

**HELI** **HELI 合力**

**CPD20/25/30/35/38**  
AGLIK2-S AGLIK2-M ASLIK2-H

**2-7 t**  
G2系列锂电池牵引车  
G2 series lithium battery tractor

**2-3.8 t**  
K2 Series Lithium Battery Counterbalance Forklift

**G 70**



## 12. สินค้าโลจิสติกส์ ครบวงจร

Work Icon Techsolutions Co., Ltd. : Highlight Products

**Logistics Products** **T-LIFT**

**สินค้าโลจิสติกส์ครบวงจร**  
Barcode Scanner, Plastic Box, รถลากพร้อมเครื่องชั่ง, รถยกไฟฟ้า, รถโฟล์คลิฟท์, งาน Forklift สามารถชั่งได้, เครื่องไฟฟ้า, พาเลทพลาสติก, X-Lift, Lift, Ramp, Dock Leveler



## 13. ฝักบัวฉุกเฉินและอ่างล้างตาฉุกเฉิน (Emergency Showers & Eyewashes) Brand: Haws (USA), Terysafe

Work Icon Techsolutions Co., Ltd. : Highlight Products

**Emergency Showers & Eyewashes** **Haws T-safe**

**ฝักบัวฉุกเฉิน และ อ่างล้างตาฉุกเฉิน**  
Brand: Haws (USA), Terysafe



## 14. รถเข็นฉุกเฉิน (Emergency Carts/Trolleys)

**LS-850EB**  
Emergency Trolley



**MI ZAKI** EMERGENCY TROLLEY  
Best Product of 2009-2011

**MODEL: MIZAKI 103**

**● SPECIFICATION:**

- ❖ Size : 465 x 650 x 900 mm.
- ❖ ABS body with aluminium alloy
- ❖ One light drawer + two middle drawers + two big deep drawers
- ❖ Two dust bin
- ❖ Two plastic box with out lid
- ❖ Two Needle disposal box
- ❖ Adjustable I.V. Pole 4 Hooks
- ❖ C.P.R. Board size: 410 x 530 x 20 mm
- ❖ Oxygen Tank holder
- ❖ Sliding side shelf size : 500 x 330 mm
- ❖ Monitor shelf size : 250 x 300 mm
- ❖ Two keys for centralized locking



## 15. Ultrasonic Thickness Gauge

Industrial

**39DL PLUS™ Ultrasonic Thickness Gauge**  
Fast. Field-Proven. Future-Ready.

**EVIDENT**

**OLYMPUS**  
Your Vision. Our Future.

ULTRASONIC THICKNESS GAUGE  
**45MG**

**NEW**

- Color Transflective QVGA Display
- Dual Element Corrosion Gaging
- Precision Thickness Measurements
- Rugged, Designed for IP67

## 16. DC Porosity Detector

**PCWI**  
PRECISION INSTRUMENTATION

**PCWI Compact**  
DC POROSITY DETECTORS

Complies with the requirements of  
AS3884 1-2002 and Euro Standards SF0190-2007;  
EN5074-2004 & SRI188-2005

**Applications**

- Used for detection of coating porosity (pin-holes, or holidays) in dielectric (insulation type) coatings on conductive substrates, including concrete.
- Suitable for Production Pipeline Coating operations, Tank-work and Structures. Ideal for use on storage tanks, valves and pipelines.
- Housed in a fully portable ABS case, the Detectors deliver stabilised DC output of up to 30V. Constant current source maintains applied test voltage. Full test current at low voltages (where it is needed most) when testing at low film builds (eg. 150µm—up to AS3884 1-2002).
- Incorporating momentary-on and continuous-on switches (mounted on the front panel), allowing the units to be switched on momentarily for safety, or run continuously.
- No need to swap power supplies or change probes to change voltage—the Detectors have clip-on battery packs that can be separately charged. Can operate off mains power (via the charger) during recharging. Fully recharged in 10 hours. Regulated DC output fully adjustable. Applied voltage and battery condition are continuously shown on the Liquid Crystal Display.

**Controls**

- 1 LCD display (including battery condition indicator)
- 2 Voltage control (10 turns)
- 3 Visual alarm indicates when fault is found
- 4 On switch
- 5 Off/Reset switch
- 6 Sensitivity control for the alarm
- 7 Audible alarm when fault is found
- 8 High Voltage probe connector
- 9 Fuse (1.6A slow blow) 8 x 20mm
- 10 Earth connection point
- 11 Charge connector—allows operation while charging is in progress
- 12 Clip-on battery pack
- 13 Earphone (connected on opposite side)



Made in AUSTRALIA



**Features**

- Lightweight with ABS case
- Momentary on switch allows auto shut-off
- Digital display of applied voltage with integral battery condition indicator
- Regulated DC voltage
- Voltage ranges of 0-15V or 0-30V, fully adjustable
- Clip-on battery pack
- Constant test current
- Sensitivity control
- Overcharge protection
- Single power leady
- Earphones for noisy environments
- Optional on/off switch in handle

**Complete with**

**Industrial Kit:**  
Detector with clip-on power pack, 10hr Charger, Probe handle with neon and 2m lead, 60mm Connector for flat brushes, 7m Earth lead with clamp, Fan Brush, 450mm Probe extension, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

**Pipeline Kit:**  
Detector with clip-on power pack, 10hr Charger, Probe handle with neon and 2m lead, 60mm Connector for flat brushes, 7m Earth lead with clamp, Fan brush, Coil jomer with 450mm connector, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

**Specifications**

	DC15	DC30
Unit Weight:	2.2kg	2.2kg
Packed Weight:	6.0kg	6.0kg
Display:	LCD 3½ digits	LCD 3½ digits
Voltage:	0-15V	0-30V
Resolution:	10V	10V
Short circuit:	Test current 0.5mA max	
Power supply:	Gel Cell 3AH 500h-0ff	
Dimensions:	265 x 190 x 70mm	
Alarm:	Audible and visual	
Probe handle:	2m high-voltage 4500v-rubber lead	
Battery condition:	LCD Display	

## 17. Digital Micro Vickers Hardness Tester



## 18. เครื่องมือวัด เครื่องมือทดสอบ (Testing & Measuring Products)

Work Icon Techsolutions Co., Ltd. : Highlight Products

**Testing & Measuring Products**

**เครื่องมือวัด เครื่องมือทดสอบ**

- เครื่องวัดแอลกอฮอล์, เครื่องวัดความหนาแน่น, เครื่องวัดไฟฟ้า
- เครื่องวัดแรงดึงแรงกด, เครื่องวัดแก๊ส, เครื่องวัดปริมาณฝุ่น

## 19. ชุดPPE (เน้นขายจำนวนมาก)

**ชุดป้องกันสารเคมีเบื้องต้น "Q-COVER"**

Q-Cover เป็น ชุดป้องกันสารเคมีและฝุ่น ละออง ตัวเสื้อผลิตจากโพลีโพรพิลีน ซึ่งเป็นพลาสติกที่น้ำซึมผ่านได้เล็กน้อย แข็งแรงกว่าโพลีเอทิลีนและทนต่อสารไขมันและความร้อนสูง

Size	Chest (cm)	Body Height (cm)
M	122-128	170-176
L	128-132	176-182
XL	132-140	182-188

**คุณสมบัติสินค้า**

- ป้องกันการกระเด็นของ ของเหลว สารเคมี และ ฝุ่นละอองระดับต้น เช่น ฆาตไม่ งานเฟอร์นิเจอร์ งานทำความสะอาด งานติดตั้งฉนวนกันความร้อน งานถ่ายสีโรงไฟฟ้า งานซ่อมบำรุงเครื่องจักร ยานยนต์ และงานอุตสาหกรรมทั่วไป
- ผลิตจากเส้นใยโพลีโพรพิลีน วัสดุเส้นใยไม่ถักทอ (Non-Woven material)
- มีน้ำหนักเบา เคลื่อนที่มีรูปทรงขนาดเล็ก เพื่อลดความร้อนสะสม ยางยืดรัดเอว ข้อมือ และคลุมทั้งข้อเท้า

- เส้นใยโพลีโพรพิลีน วัสดุเส้นใยไม่ถักทอ (Non-Woven material) เพื่อความทนทานและการป้องกันสูงสุด
- สามารถถ่ายอากาศได้ จึงไม่ทำให้ผู้สวมใส่ร้อนอึดระหว่างการทำงาน
- มีน้ำหนักเบา เคลื่อนที่มีรูปทรงขนาดเล็ก เพื่อลดความร้อนสะสม
- มียางยืดรัดเอว ข้อมือ และคลุมทั้งข้อเท้า
- มีจุดสวมหัว และด้านหน้าตัวเสื้อมีช่องใส่พริ้วอมผ้าคลุมข้อ
- ขนาด S, M, L, XL, XXL

**20. สินค้าในห้อง Lab เช่น Oven, Waterbath, Stirrer, เป็นต้น**

Work Icon Techsolutions Co., Ltd. : Highlight Products

Laboratory Products **memmert** **Nabertherm** **LAB-KITS**  
LAB Instruments & Supplies

**สินค้าในห้อง Lab**  
**เช่น Oven, Waterbath, Incubator Brand: Memmert**  
**Furnace Brand: Nabertherm, Spectrophotometer Brand: Lab-Kits**

**21. เก้าอี้สำหรับห้อง Lab (เน้น Project ขนาดใหญ่)**

 BA-1	 BA-1W	 BA-2	 BA-2W		
 BA-3W	 BA-4W/AL	 BA-4W/S	 BA-5W		
 BA-5W/S	 BA-6	 ST4-SS	 ST4-25S		

**22. เครื่องชั่ง ครบวงจร**

**OHHAUS** **Valor<sup>®</sup> 1000**  
 Compact Precision Scales

**Economical, multipurpose weighing in a compact scale**

OHHAUS Valor 1000 precision scales are an economical choice for your basic weighing needs. Standard software includes three weighing modes, accumulation mode and multiple units of measure. Valor 1000 scales feature a removable stainless steel weighing platform, and a mid-profile AISI plastic housing with leveling adjustment. Each scale also comes standard with a long-lasting internal rechargeable battery for ultimate portability and convenience.

**Standard Features Include:**

- Ergonomic design** — Compact footprint, large removable stainless pan with a height, easy to read built-in LCD & audible beeps
- Solid performance** — Fast response time, leveling capability standard, and precision resolution 10 to 0.01mg
- Flexibly operation** — Easy to clean stainless steel included, long life internal rechargeable battery with standard AC power adapter and low selectable auto shut-off backlight

**OHHAUS** **Pioneer<sup>®</sup> Series**  
 Analytical and Precision Balances

**The Best Balance For Basic Weighing!**

The OHHAUS Pioneer Series of analytical and precision balances are designed for basic routine weighing in a variety of laboratory, industrial and education applications. With the right combination of performance and features, the OHHAUS Pioneer offers unmatched performance for all your basic weighing needs.

**Standard Features Include:**

- Easy to Clean Analytical Draftshield** — Pioneer's draftshield is designed with all glass panels, including three sliding doors. All panels are easy to remove and replace, and together with a stainless steel bottom, make it fast and easy to clean.
- Upfront Level Indicator** — Pioneer has been designed with an up-front level indicator, so that users can quickly ensure the balance is level prior to use.
- Selectable Environmental Settings** — Three filter modes and adjustable zero tracking adjust balance sensitivity to environmental disturbances, or application requirements.

**Work Icon**  
Techsolutions

## Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)

Website: [www.workicontech.com](http://www.workicontech.com)



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

### Sample of Our Prestige Customers

 บริษัท ท่าอากาศยานไทย จำกัด (มหาชน) Reports of Thailand Public Company Limited		
 CHRISTIANI & NIELSEN		
		
		
		
		
		
		
		

## Sample List of Our Customers

AGC Chemicals (Thailand) Co., Ltd.	NHK Spring (Thailand) Co., Ltd.
Airports of Thailand PLC. (Suvarnabhumi Airport)	Nippon Paint (Thailand) Co., Ltd.
AMATA Natural Gas Distribution Co., Ltd.	Oji Paper (Thailand) Co., Ltd.
Asia Cement PLC.	Pepsi-Cola (Thai) Trading Co., Ltd.
Bangkok Solar Power Co., Ltd.	Phyathai Hospital PLC.
Beko Thai Co., Ltd.	POSCO-Thainox PLC.
Behn Meyer Chemicals (T) Co., Ltd.	President Rice Products PLC. (MAMA)
Bridgestone Tire Manufacturing (Thailand) Co., Ltd.	PTT PLC.
Calbee Tanawat Co., Ltd. (Calbee Snacks)	PTT Natural Gas Distribution Co., Ltd.
Cargill Siam Co., Ltd.	Ratchburi Power Co., Ltd.
Cal-Comp Electronics PLC.	Rayong Glass Industry Co., Ltd.
Christiani & Neilsen (Thai) PLC.	S&P Syndicate PLC. (S&P)
Churarat Hospital PLC.	SCG Chemicals Co., Ltd.
CJ Korea Express (Thailand) Co., Ltd.	Schenker (Thai) Co., Ltd.
CP All PLC. (7-Eleven Thailand)	Sharp Manufacturing (Thailand) Co., Ltd.
CPF (Thailand) PLC.	Sino-Thai Engineering and Construction PLC.
Daimler Commercial Vehicles (Thailand) Ltd.	Solartron PLC.
Dhanasindhi Co., Ltd. (Thai Bev)	Songkhla Canning PLC.
DHL Supply Chain (Thailand) Co., Ltd.	Sriracha Construction PLC. (SRICHA)
Endress+Hauser (Thailand) Ltd.	Sri Trang Agro Industry PLC.
GFPT Nichirei Co., Ltd.	Taokaenoi Food & Marketing PLC.
GISTDA	TDK (Thailand) Co., Ltd.
Haad Thip PLC. (Coca-Cola)	Thai Carbon Black PLC.
Hitachi Chemical Automotive Co., Ltd.	Thai Foods Group PLC.
Hitachi Plant Technology Co., Ltd.	Thai Malaya Glass Co., Ltd. (Berli Jucker PLC.)
Honda Automobile (Thailand) Co., Ltd.	Thai Rath Newspaper
Italian Thai Development PLC.	Thai Union PLC.
Indorama Ventures PLC.	The Mall Group
Jotun Thai Co., Ltd.	The Petroleum College, Chulalongkorn University
Khon Kaen Hospital	TNT Express Worldwide (Thailand) Co., Ltd.
Krabi Nakharin International Hospital	Toray Hybrid Cord (Thailand) Co., Ltd.
Kohler (Thailand) PLC.	Toshiba Hokuto Electronic Devices (Thailand) Co., Ltd.
Kubota Kasui (Thailand) Co., Ltd.	TOSHIBA (Thailand) Co., Ltd.
LF Logistics (Thailand) Ltd.	True Distribution and Sales Co., Ltd.
Metropolitan Electricity Authority (MEA)	True Lifestyle Retail Co, Ltd. (True Coffee)
Minor Food Group PLC.	Vibhavadi Hospital PLC.
NHK Precision Co., Ltd.	YANMAR (S.P.) Co., Ltd.

**Work Icon**  
Techsolutions

## Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)

Website: [www.workicontech.com](http://www.workicontech.com)



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

เปิดรับสมัครตัวแทนจำหน่ายทั่วประเทศ

**Work Icon**  
Techsolutions

## Work Icon Techsolutions Co., Ltd.

Importer & Distributor in Thailand for Brands :



เปิดรับสมัคร  
ตัวแทนจำหน่าย  
ทั่วประเทศ

Work Icon Tel : 02-157-1577 to 9 | Hotline : 086-569-1546



Emergency Showers & Eye Washes




Testing & Measuring



Laboratory Products & Emergency Carts



Safety Products



สินค้า Logistic & เครื่องซิงเฟลา



Mobile Racks & Automatic Warehouse



Project : ติดตั้ง Chiller



Project : ม้ายพัดลม, แอร์, เครื่องจักรขนาดใหญ



High Pressure & Floor Carpet Cleanings



Construction Tools



ตู้Gen & หม้อแปลงไฟฟ้า



Repair & Calibration

### Samples of our customers :



Work Icon Techsolutions Co., Ltd.  
Email : [contact@workicontech.com](mailto:contact@workicontech.com)  
Website : [www.workicontech.com](http://www.workicontech.com)

[@workiconth](https://twitter.com/workiconth)



Line : @workicon



IG : workicontech



Work Icon Techsolutions Co., Ltd.



สนใจเป็นตัวแทนจำหน่าย ติดต่อ :

**Work Icon Techsolutions Co., Ltd.**  
Tel: 02-157-1577 ถึง 9 | Hotline : 086-569-1546  
E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)  
Website: [www.workicontech.com](http://www.workicontech.com)